

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	7345	(automatica\$5) with (generat\$3 creat\$3 request\$3) with (print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:11
S6	780	(automatica\$5) with (generat\$3 creat\$3 request\$3) with (print\$3) with (trigger\$3 event\$3 parameter\$2 attribute\$2 setting\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:16
S8	8	(automatica\$5) with (generat\$3 creat\$3 request\$3) with (print\$3) with (trigger\$3 event\$3 parameter\$2 attribute\$2 setting\$3) with (inventory\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:35
S12	67976	(automatic\$5 near5 print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:37
S15	37	(automatically\$5 with (generat\$3 creat\$3 request\$3) with (print\$3) with (event\$3 trigger\$3 setting\$2 parameter\$2 attribute\$2) with database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:47
S17	7220	(inventory\$3).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:48
S19	290	(inventory\$3 same monitor\$3).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:49
S21	672	(inventory\$3).ti. and (print\$3) and (automatically\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:50
S23	56	(automatically\$5 with print\$3 with new\$2 near2 order\$2)	US-PGPUB; USPAT;	OR	OFF	2011/11/21 20:01

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S25	128	(figure\$3 near2 "138" same automatically\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:08
S27	23398	automatically\$3 same "138"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:09
S29	3571	automatically\$3 with "138"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:10
S31	39	automatically\$3 with "138" with figure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:10
S34	12	automatically\$3 with fig	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:16
S37	2378	automatically\$3 with "133"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:17
S39	3955	(automatically\$3 with print\$3 with order\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:18
S41	298	(automatically\$3 with print\$3 with criteria\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:45
S47	2849	automatically\$3 near4 print\$3 near5 (parameter\$2 attribut\$3 setting\$3 request\$3 event\$3 trigger\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:50
S49	303	(automatically\$3 with print\$3 with subscriber\$2)	US-PGPUB; USPAT;	OR	OFF	2011/11/21 21:55

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S51	810	(automatically\$3 with print\$3 with event\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 21:58
S54	2902	(automatically\$3 with (generat\$3 creat\$3 request\$3) with print\$3 and database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:01
S56	495	(creat\$3 generat\$3) near4 print\$3 near2 (order\$3 request\$3) with (event\$3 trigger\$3 setting\$3 parameter\$3 attribut\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:14
S60	722	automatically\$3 same "133" and database\$2 and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:24
S62	67	auto\$3 same print\$3 with new\$2 same event\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:25
S64	326	automatically\$3 with "138" and database\$2 and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:26
S66	275	automatically\$3 with "133" and database\$2 and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:28
S68	69	(print\$3 with order\$2 with event\$3 with occur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:29
S70	141	(generat\$3 creat\$3) with (print\$3 near5 (order\$3 request\$3) with (predetermined\$3 based\$3) near4 (event\$3 setting\$3 attribut\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:32
S72	123	event\$3 near4 base\$3 near5 printing\$3	US-PGPUB; USPAT;	OR	OFF	2011/11/21 22:36

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S74	60	(print\$3 same (change\$3 new\$2) same sale\$3 near4 database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:40
S76	42	(automatically\$3 with print\$5 with (chang\$3 new\$2) near5 database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 23:51
S78	7365	(automatically\$3 and "133" and "138" and database\$2 and print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:36
S79	946	S78 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:37
S81	355	(automatically with shown\$2 with "133")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:39
S83	381	(automatically with shown\$2 with "138")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:39
S85	116398	(automatically and print\$3 and database\$2 and network\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:41
S87	79289	(automatically and print\$3 and database\$2 and event\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:41
S90	43206	(automatically and print\$3 and database\$2 and event\$3) and generat\$3 and setting\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:43
S93	31	(print\$3 with based\$3 with event\$3 with predetermined\$3)	USPAT	OR	OFF	2011/11/22 00:51

S95	34	(trigger\$3 near5 event\$3 same sales\$3 near4 database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:54
S98	143	(automatically\$3 with order\$3 with change\$2 with database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:58
S101	46	("6405178").URPN.	USPAT	OR	OFF	2011/11/22 12:18
S106	325	(automatically\$5 with purchase\$3 with print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:12
S108	76	(automatically\$5 with print\$3 with selected\$3 near4 item\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:19
S114	46	(automatically\$3 same send\$3 same statement\$3 same (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:39
S117	4320	(automatically\$3 same send\$3 same (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:40
S120	1162	(automatically\$3 with (send\$3 order\$3 print\$3) with (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:40
S123	44	(automatically\$3 with (send\$3 order\$3 print\$3) with (new\$3 updat\$3) same home\$3 near2 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/11/22 13:41
S126	34301	(358/1.1, 358/1.9, 358/1.11-1.18).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 23:04
S127	9982	(generat\$3 creat\$3 request\$3) with (print\$3) with (automatic\$5 when\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2011/11/22 23:19

			DERWENT; IBM_TDB			
S131	137	(sales\$3 near4 packet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/23 22:50
S141	2	("5563999").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:19
S142	10281	(generat\$3 creat\$3 request\$3) with (print\$3) with (automatic\$5 when\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S143	2994	S142 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S144	5	(generat\$3 creat\$3 request\$3) with (print\$3) with (automatic\$5 with when\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S145	7573	(automatica\$5) with (generat\$3 creat\$3 request\$3) with (print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S146	1985	S145 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S147	809	(automatica\$5) with (generat\$3 creat\$3 request\$3) with (print\$3) with (trigger\$3 event\$3 parameter\$2 attribute\$2 setting\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S148	149	S147 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S149	8	(automatica\$5) with (generat\$3 creat\$3 request\$3) with (print\$3) with (trigger\$3 event\$3 parameter\$2 attribute\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2012/04/25 12:31

		setting\$3) with (inventory\$3)	DERWENT; IBM_TDB			
S150	2	S149 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S151	0	(automatica\$5) with (generat\$3 creat\$3 request\$3) with (print\$3 near2 order\$2) with (trigger\$3 event\$3 parameter\$2 attribute\$2 setting\$3) with (inventory\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S152	2	(automatica\$5) near4 print\$3 with (event\$3 trigger\$3 setting\$3) with (inventory\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S153	69415	(automatic\$5 near5 print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S154	27275	S153 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S155	9	(automatic\$5 near5 print\$3) with (when\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S156	37	(automatically\$5 with (generat\$3 creat\$3 request\$3) with (print\$3) with (event\$3 trigger\$3 setting\$2 parameter\$2 attribute\$2) with database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S157	4	S156 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S158	7461	(inventory\$3).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S159	1566	S158 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2012/04/25 12:31

			DERWENT; IBM_TDB			
S160	307	(inventory\$3 same monitor\$3).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S161	70	S160 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S162	700	(inventory\$3).ti. and (print\$3) and (automatically\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S163	117	S162 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S164	59	(automatically\$5 with print\$3 with new\$2 near2 order\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S165	4	S164 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S166	128	(figure\$3 near2 "138" same automatically\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S167	0	S166 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S168	23748	automatically\$3 same "138"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S169	3703	S168 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2012/04/25 12:31

			DERWENT; IBM_TDB			
S170	3668	automatically\$3 with "138"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S171	1032	S170 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S172	39	automatically\$3 with "138" with figure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S173	1	S172 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S174	0	automatically\$3 with "138" with fig	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S175	12	automatically\$3 with fig	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S176	9	S175 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S177	0	automatically\$3 with "fig."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S178	2441	automatically\$3 with "133"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S179	595	S178 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2012/04/25 12:31

			DERWENT; IBM_TDB			
S180	4057	(automatically\$3 with print\$3 with order\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S181	1196	S180 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S182	317	(automatically\$3 with print\$3 with criteria\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S183	34	S182 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S184	0	automatically\$3 with (generat\$3 creat\$3 request\$2) with print\$3 with when	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S185	2430866	automatically\$3 print\$3 with when	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S186	0	automatically\$3 with print\$3 with when	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S187	2703	automatically\$3 near4 print\$3 near5 (parameter\$2 attribut\$3 setting\$3 request\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S188	2938	automatically\$3 near4 print\$3 near5 (parameter\$2 attribut\$3 setting\$3 request\$3 event\$3 trigger\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S189	793	S188 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2012/04/25 12:31

			DERWENT; IBM_TDB			
S190	311	(automatically\$3 with print\$3 with subscriber\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S191	97	S190 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S192	830	(automatically\$3 with print\$3 with event\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S193	193	S192 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S194	6	(automatically\$3 with (generat\$3 creat\$3 request\$3) with print\$3 with based\$2 near5 event\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S195	3016	(automatically\$3 with (generat\$3 creat\$3 request\$3) with print\$3 and database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S196	467	S195 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S197	518	(creat\$3 generat\$3) near4 print\$3 near2 (order\$3 request\$3) with (event\$3 trigger\$3 setting\$3 parameter\$3 attribut\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S198	81	S197 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S199	17810	automatically\$3 same "133"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2012/04/25 12:31

			DERWENT; IBM_TDB			
S200	1389	automatically\$3 same "133" and database\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S201	764	automatically\$3 same "133" and database\$2 and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S202	96	S201 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S203	68	auto\$3 same print\$3 with new\$2 same event\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S204	10	S203 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S205	344	automatically\$3 with "138" and database\$2 and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S206	48	S205 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S207	294	automatically\$3 with "133" and database\$2 and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S208	32	S207 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S209	72	(print\$3 with order\$2 with event\$3 with occur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2012/04/25 12:31

			DERWENT; IBM_TDB			
S210	10	S209 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S211	153	(generat\$3 creat\$3) with (print\$3 near5 (order\$3 request\$3) with (predetermined\$3 based\$3) near4 (event\$3 setting\$3 attribut\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S212	15	S211 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S213	128	event\$3 near4 base\$3 near5 printing\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S214	19	S213 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S215	63	(print\$3 same (change\$3 new\$2) same sale\$3 near4 database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S216	3	S215 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S217	43	(automatically\$3 with print\$5 with (chang\$3 new\$2) near5 database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S218	3	S217 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S219	7662	(automatically\$3 and "133" and "138" and database\$2 and print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2012/04/25 12:31

			DERWENT; IBM_TDB			
S220	947	S219 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S221	777	S220 and network\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S222	361	(automatically with shown\$2 with "133")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S223	57	S222 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S224	389	(automatically with shown\$2 with "138")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S225	112	S224 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S226	123473	(automatically and print\$3 and database\$2 and network\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S227	11022	S226 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S228	84088	(automatically and print\$3 and database\$2 and event\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S229	8554	S228 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2012/04/25 12:31

			DERWENT; IBM_TDB			
S230	78084	(automatically and print\$3 and database\$2 and event\$3) and generat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S231	45903	(automatically and print\$3 and database\$2 and event\$3) and generat\$3 and setting\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S232	4693	S231 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S233	64	("5383112").URPN.	USPAT	OR	OFF	2012/04/25 12:31
S234	32	(print\$3 with based\$3 with event\$3 with predetermined\$3)	USPAT	OR	OFF	2012/04/25 12:31
S235	13	S234 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S236	35	(trigger\$3 near5 event\$3 same sales\$3 near4 database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:31
S237	0	S236 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S238	7	(automatically\$3 with order\$3 with new\$3 near4 business\$3 near5 card\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S239	150	(automatically\$3 with order\$3 with change\$2 with database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S240	17	S239 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32

S241	3	("6405178").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S242	49	("6405178").URPN.	USPAT	OR	OFF	2012/04/25 12:32
S243	0	S242 and @ad<"20000110"	USPAT	OR	OFF	2012/04/25 12:32
S244	11	("4992940" "5091713" "5533079" "5608643" "5638519" "5808894" "5893076" "5930771" "6188991" "6233565" "6249774").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2012/04/25 12:32
S245	2	("6453268").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S246	2	("6798997").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S247	343	(automatically\$5 with purchase\$3 with print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S248	64	S247 and @ad<"20000110"	USPAT	OR	OFF	2012/04/25 12:32
S249	76	(automatically\$5 with print\$3 with selected\$3 near4 item\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S250	10	S249 and @ad<"20000110"	USPAT	OR	OFF	2012/04/25 12:32
S251	3	(sales\$3 near5 database\$3) with (print\$3) with (automatically\$3)	USPAT	OR	OFF	2012/04/25 12:32
S252	4	(sales\$3 near5 database\$3) with (print\$3) with (automatically\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S253	2	("5563999").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S254	0	(automatically\$3 with send\$3	US-PGPUB;	OR	OFF	2012/04/25

		with statement\$3 with new\$3 near4 address\$3)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			12:32
S255	49	(automatically\$3 same send\$3 same statement\$3 same (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S256	2	S255 and @ad<"20000110"	USPAT	OR	OFF	2012/04/25 12:32
S257	49	(automatically\$3 same send\$3 same statement\$3 same (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S258	4541	(automatically\$3 same send\$3 same (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S259	444	S258 and @ad<"20000110"	USPAT	OR	OFF	2012/04/25 12:32
S260	1206	(automatically\$3 with (send\$3 order\$3 print\$3) with(new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S261	1206	(automatically\$3 with (send\$3 order\$3 print\$3) with (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S262	131	S261 and @ad<"20000110"	USPAT	OR	OFF	2012/04/25 12:32
S263	46	(automatically\$3 with (send\$3 order\$3 print\$3) with (new\$3 updat\$3) same home\$3 near2 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S264	46	(automatically\$3 with (send\$3 order\$3 print\$3) with (new\$3 updat\$3) same home\$3 near2 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/04/25 12:32
S265	0	S264 and @ad<"20000110"	USPAT	OR	OFF	2012/04/25 12:32
S266	2	("5563999").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	OFF	2012/04/25 12:32

			IBM_TDB			
S267	35875	(358/1.1, 358/1.9, 358/1.11-1.18).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S268	10281	(generat\$3 creat\$3 request\$3) with (print\$3) with (automatic\$5 when\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S269	1968	S267 and S268	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S270	0	(generat\$3 creat\$3) with (sales\$3 near4 packet\$3) with automatic\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S271	14	(generat\$3 creat\$3 new\$2) with (sales\$3 near4 packet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S272	137	(sales\$3 near4 packet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S273	49	S272 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S274	0	automatic\$5 near2 (generat\$3 creat\$3 print\$3) with (sales\$2 near2 packet\$2 brochur\$3) with (new\$3 near2 contact\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S275	50	automatic\$5 near2 (generat\$3 creat\$3 print\$3) with (sales\$2 near2 packet\$2 brochur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S276	3186	(creat\$3 generat\$3 order\$3) with (sales\$3 near2 packet\$2 brochure\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	OFF	2012/04/25 12:32

			IBM_TDB			
S277	28	event\$3 with (creat\$3 generat\$3 order\$3) with (sales\$3 near2 packet\$2 brochure\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S278	0	servik\$3.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S279	0	servik\$3.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S280	5	((("6330542") or ("4839829"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/04/25 12:32
S281	1	"12555849"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/04/25 12:32